Spray Schedule – AUGUST

FRUIT					
Brambles Raspberries Blackberries Loganberries etc. Currants	Copper Hydroxide or Champ DP + Conqueror Oil (can be mixed	Following pruning out all old canes and shortening back new canes, apply an oil spray (<i>Conqueror Oil</i>) to combat soft scale mites and <i>Copper hydroxide or Champ DP</i> spray for dryberry disease (downy mildew) Prune to shape and apply an oil spray to combat aphids and			
Currants	together)	passion vine hopper and copper for fungal disease.			
Figs					
Blueberries					
Pip fruit Apples Pears		Following pruning, apply an oil spray (<i>Conqueror Oil</i>) to combat scale, mites, leaf curling midge, mealy bug and <i>Copper Hydroxide or Champ DP</i> copper for black spot			
Stone Fruit Apricots Nectarines Peaches Cherries Plums	Copper Hydroxide or Champ DP + Conqueror Oil (can be mixed together)	Following pruning, apply an oil spray (<i>Conqueror Oil</i>) to combat scale, mites, thrips, cherry pear slug, and add <i>Copper Hydroxide or Champ DP</i> copper for fungal diseases.			
Grapes		Following pruning, apply an oil spray (<i>Conqueror Oil</i>) to combat scale, mites, thrips, and <i>Copper Hydroxide or Champ DP</i> copper spray for fungal diseases.			
Persimmon					
Citrus					
Avocado	Copper Hydroxide	To minimise anthracnose.			
Feijoa					
Guava					
Tamarillo					
Strawberries					
	١	/EGETABLES			
Aubergine					
Beans					
Broad beans					
Brasicas Consigum					
Capsicum Corroto					
Carrots					
Celery Cucurbits					
Garlic & Leeks					
Onions					
Potatoes	+				
Tomatoes					
Sweet corn					
	ORNAMENTALS				
Shrubs					

Spray Schedule – SEPTEMBER

FRUIT				
Brambles	Groopguard . Mourile			
Raspberries	(can be mixed	From bud burst on, spray at 3 - 4 weekly intervals using <i>Mavrik</i> for insect pests and <i>Greenguard</i> for		
Blackberries	together)	dryberry, leaf spot and botrytis		
Loganberries etc.	iogether)	dryberry, lear spot and botrytis		
Currants				
Figs				
Blueberries				
Pip fruit		Apply during full boom and again at 75% petal fall. For		
Apples & Pears	Fungus Fighter	some varieties / regions this may be October		
Stone Fruit		Apply during full boom and again at 75% petal fall. For		
Apricots	(can be mixed	some varieties / regions flowering will start in Late		
Nectarines	together)	August		
Peaches				
Cherries				
Plums Grange	Naturo's Way Eurous	Apply Natures May Fungue to compatiblack spot and		
Grapes	Nature's way Fungus	Apply Natures Way Fungus to combat black spot and mildews		
Persimmon				
Citrus				
Avocado				
Feijoa				
Guava				
Tamarillo				
Strawberries				
	VE	GETABLES		
Aubergine				
Beans				
Broad beans	Mavrik or	If aphids appear on young growth, spray with <i>Mavrik,</i>		
	Naturally Neem	or Naturally Neem (Do not use other Neem products)		
Brasicas				
Capsicum				
Carrots				
Celery				
Cucurbits				
Garlic & Leeks				
Onions				
Potatoes				
Tomatoes				
Sweet corn				
ORNAMENTALS				
Roses	Confidor + Greenguard	For control of all pests and diseases of roses, including downy mildew. Apply at 3 weekly intervals throughout spring.		
Shrubs	Confidor + Greenguard	A close watch should be kept on the plants listed below and sprayed with an insecticide at first sign of aphids, mealy bug or scale. If caterpillars or leaf rollers appear, add Mavrik to the spray mix		

Spray Schedule – OCTOBER

FRUIT				
Brambles Raspberries Blackberries Loganberries etc	Greenguard + Mavrik (can be mixed together	From bud burst onwards, spray at 3 - 4 weekly intervals using <i>Mavrik</i> for insect pests and <i>Greenguard</i> for dryberry, leaf spot and botrytis		
Currants	Mavrik	Apply Mavrik if aphids appear (usually distorting young growth)		
Figs				
Blueberries	Mavrik	Apply <i>Mavrik</i> to protect against Leaf Roller		
Pip fruit Apples & Pears	Fungus Fighter	Apply during full boom and again at 75% petal fall. For some varieties / regions this may be October. Add <i>Mavrik</i> after petal fall to control Codling moth. (Bees are tolerant to Mavrik but spray when they are not present)		
Stone Fruit Apricots Nectarines Peaches Cherries Plums	Greenguard + Mavrik (can be mixed together)	Apply during full boom and again at 75% petal fall. For some varieties / regions flowering may continue to Oct. Add Mavrik at 75% petal fall. (Bees are tolerant to Mavrik but spray when they are not present)		
Grapes	Greenguard + Mavrik (can be mixed together)	Apply at 3 weekly intervals to control black spot, downy mildew, powdery mildew botrytis leaf roller and aphids		
Persimmon	/			
Citrus	Copper Hydroxide or Champ DP + Mavrik (can be mixed together)	Copper Hydroxide or Champ DP to protect against verrucossis and citrus brown rot. Add Naturally Neem if mites, aphids, thrips or white fly are a problem and Conqueror Oil if scale and mealy bug are a problem.		
Avocado	Copper Hydroxide or Champ DP + Mavrik (can be mixed together	Copper to protect against anthracnose. Mavrik for insects.		
Feijoa	Mavrik	Add Conqueror Oil if mealy bug and scale are a problem		
Guava				
Tamarillo				
Strawberries	Greenguard + Mavrik (can be mixed together)	To control leaf spot, botrytis, mites and aphids. Spraying is usually only necessary occasionally or in wet seasons		

Spray Schedule – OCTOBER Continued...

VEGETABLES				
Aubergine				
Beans				
Broad beans	Mavrik or Naturally Neem	If aphids appear on young growth, spray with <i>Mavrik, or</i> if close to or during harvest use <i>Naturally Neem</i> (Do not use other neem products)		
Brasicas				
Capsicum				
Carrots	Soil Insect Killer	Apply to the soil at sowing time to control carrot rust fly		
Celery				
Cucurbits				
Garlic				
Lettuces		Keep a watch for aphids on spring planted vegetables		
Onions		and spray at first sign with <i>Mavrik.</i> Likely crops at this stage are Brasicas, Celery, Garlic, Lettuces and Potatoes		
Potatoes				
Tomatoes				
Sweet corn				

ORNAMENTALS		
Roses	Confidor + Greenguard	For control of all pests and diseases of roses, including downy mildew. Apply at 3 weekly intervals throughout spring.
Camellias Pittosporums Manuka Cabbage tree Kowhai Mexican Orange Day lily Penstemon Liliums	Mavrik OR Confidor + Success	 Mavrik controls aphids, mites, thrips and caterpillars, but not mealy bug. Mavrik is safe to bees providing they are not present when spraying. Confidor is very effective against aphids, thrips and mealy bug but not caterpillars Success is only effective against caterpillars Conqueror Oil is effective against mealy bug and scale. Note: Spraying susceptible plants in late September / October will prevent insect build up and minimise later damage. Otherwise keep a close watch and spray as required.